



ЦИКЛЕВОЧНАЯ
КОМПАНИЯ
WWW.1PARKET.RU +7 (495) 545-25-85



PRODUCTS 2019

LOBACURE

LOBADUR

LOBASOL

LOBACARE

LOBATOOL



LOBA - Your partner for surface finishing and care



Connected Systems

perfect results
for your projects

Your benefits with LOBA and Wakol Connected Systems:

- Outstanding compatible products
- Powerful security for your installation
- No chemical reaction between finish and adhesive
- No softening of the finish, prevents dark joints
- Successful application guaranteed in a well proven system

We care about your success!



		WAKOL													
		1K PARQUET ADHESIVE							2K PARQUET ADHESIVE						
		MS 230	MS 232	MS 260	MS 261	MS 262	MS 290	MS 292	PU 385	PU 210	PU 215	PU 216	PU 220	PU 225	
LOBA	1K FINISH			✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	
	EasyFinish			✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	
	Viva	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Life	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	OptiFinish			✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	
	Hybrid			✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	
	2K FINISH	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	
	InvisibleProtect	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	
	Supra A.T.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Duo	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Fusion			✓	✓	✓	✓	✓		✓	✓	✓	✓	✓		
Rush A.T.			✓	✓	✓	✓	✓		✓	✓	✓	✓	✓		

Status January 2019 | Subject to change | Updates can be found at www.loba.de/en and www.wakol.com
Professional use of the listed Connected Systems products is a key factor for successful results.
Please take note of the respective technical data sheets of the products used.



Follow us:



www.loba.de/en



www.instagram.com/loba_on_top



www.facebook.com/www.loba.de



www.youtube.com/lobaontop1922



Contents

LOBA INSIDE

Connected Systems	2
Philosophy	4
Company	5
Legend	55

LOBACURE ☼

UV on-site waterborne finishes	7
--------------------------------	---

LOBADUR ≈

Two-component waterborne finishes	9-11
One-component waterborne finishes	12-13
Additives	14
Primers / Sealers	15-16
Suitability list for Primers / Sealers	17
Filler products	18
Special products	19-21

LOBASOL 🍃

Exterior oil	23
High Solid / Coloring Pretreatment / Hardwaxoil	24-26
Suitability list for Oils / Waxes	27
Hardwaxoil	28-29

LOBACARE ☀️

Care products	31-34
Soap	34
Wipe care	35
Maintenance cleaner	36
Remover	37

LOBA HOME

The home care line	39-41
--------------------	-------

LOBATOOL 🛠️

Abrasives	43-45
Pads	45-46
Application devices & Accessories	46-52
Suitability list for Rollers	49
Miscellaneous	53-54

Visit LOBA download section:

Set-up recommendations
Technical Information
Application videos
Technical tips and tricks

→ www.loba.de/en/downloads





ЦИКЛЕВОЧНАЯ
КОМПАНИЯ

WWW.1PARKET.RU +7 (495) 545-25-85

The LOBA philosophy

„On Top!“

Wherever you come across this slogan, you know that you are looking at top quality from LOBA!

On Top ! Products.

We specialise in manufacturing of surface treatments for wood floors as well as cork, linoleum and PVC flooring. Such as waterborne finishes, natural oils and waxes as well as care and maintenance products.

On Top ! In leadership and expertise.

Thanks to our extensive experience as a global supplier and our leadership in research and development, our products are of the highest quality and safe to handle and apply. They also meet the most stringent environmental protection standards.

On Top ! In customer service.

We offer our customers great added value through comprehensive advice, training and practical support for the application of our products. We are highly committed to be the most reliable partner for all our customers.

LOBA - Your partner for surface finishing and care



LOBA – A company with 95 years of tradition

We take our responsibility seriously

1922 Founding

On 13 April 1922 Wilhelm Hornung and Dr Max Fischer establish „Vereinigte Wachswarenfabriken AG Hornung und Dr Fischer“ in Ditzingen, near Stuttgart. Its products include floor stains, ski wax and household candles.

1952 Expansion

The company expands its product range, developing and manufacturing paints and varnishes.

1959 Pioneering work

LOBA launches the world's first commercially available thermal insulation composite system, under the brand name Dryvit®, making a major contribution to energy saving.

1995 Leadership

With its two-component, waterborne parquet finishing systems, LOBA sets new standards that remain unmatched to this day.

2012 Innovation

LOBA launches LOBACURE, the latest generation of waterborne finishing systems with on-site UV curing – setting new standards in floor refurbishing.

2015 Investment

Opening of the new logistics and training centre.

2017 Expansion

Foundation of the subsidiary “LOBA do Brasil” near São Paulo.

Competence on a global scale

With offices in more than 60 countries, LOBA is a competent partner for surface finishing and care on a global scale.

LOBA wants to ensure that our customers, employees and all people who work and live on floors treated with our products are safe. The protection of the environment is of course also a top priority. We take these responsibilities seriously and act accordingly. This commitment is best illustrated with these concrete examples:

- LOBA decided many years ago to cease production of parquet varnishes that contain high concentrations of solvents.
- Today, LOBA supplies only waterborne, low-emission products. LOBA was among the first manufacturers to obtain DIBt and Emicode® approval.
- The emission values of LOBA products are significantly below the limit values for volatile organic compounds (VOCs*) laid down in the European Decopaint Directive.

From the many eco-labels available today, LOBA has chosen the Ü mark of Deutsches Institut für Bautechnik (DIBt, German Institute for Civil Engineering) and the EMICODE® label awarded by the Association for the Control of Emissions in Products for Flooring Installation, Adhesives and Building Materials (GEV).

Ü mark and EMICODE® – two green labels that consumers can rely on. These two eco-labelling systems guarantee compliance with the most stringent environmental standards, as they are based not only on the testing of product ingredients but also take into account emissions and involve continued product tests.



* (VOC = Volatile Organic Compound)




UV on-site waterborne finishing systems – Floors cured at the speed of light!

The new generation of finishing systems.

Floors cured at the speed of light! The new generation of waterborne finishing systems: The innovative and high-quality LOBACURE UV finish for hardwood floors puts an end to long curing periods and expensive downtimes for your customers. LOBACURE achieves full resistance and usability instantly by UV curing.

LOBA On Top ! Quality and reliability as the basis for your success.





WS 2K Rush ADVANCED TECHNOLOGY

UV-curing 2-Component waterborne polyurethane finish for wooden floors.

- Sets new standards in quality
- Certified non-slip properties as per BGR 181 for work areas
- Meets highest demands
- Long durability
- Robust surface
- No waiting time until use



h	2-3
g/m ²	100



Art.-no.	Variant			
11612-000093	Anti-slip R9	5 kg	2	96



WS Rush ADVANCED TECHNOLOGY

UV-curing 1-Component waterborne polyurethane finish for wooden floors.

- Sets new standards in quality
- Meets highest demands
- Long durability
- Robust surface
- No waiting time until use



h	2-3
ml/m ²	100



Art.-no.	Variant		
11611-000003	Satin	10 l	60
11611-000001	Semi-gloss	10 l	60

Waterborne finishing systems – Strong and eco-friendly!

LOBADUR® – High performance and a wide range of applications.

The waterborne finishing systems of the LOBADUR® product line are of the highest quality and provide a very wide range of applications: They can be used for floors with moderate to high traffic, for a matt or highgloss finish and for stained floors. LOBA primers do not leave lap marks, offering an ideal quality of application. They also minimize side bonding. EasyFillPro – the newest generation of waterborne binders fills larger gaps in one application. Exceptional filling ability, fast drying and excellent sandability in total lead to significant time savings.



Two-component waterborne finishes

2K InvisibleProtect ADVANCED TECHNOLOGY



New-generation, waterborne surface protection for parquet and hardwood floors.

- Natural structure and feel like untreated wooden flooring
- Easy to work with
- 2-coat system without primer
- Increased anti-slip properties
- No polishing effect
- Excellent chemical resistance
- As easy to clean as finished surfaces
- No grain accentuation, the original colour of the wood remains as it was in its original state

Art.-no.				GISCODE
11474-000005	1 kg/5 kg	6/2	360/96	W2/DD+






2K Supra ADVANCED TECHNOLOGY

Ceramic-reinforced waterborne 2-Component polyurethane finish.

- Fully usable after 24 hours
- Sets new standards in quality
- Meets highest demands
- Extremely high scratch resistance thanks to ceramic components
- Qualified for various floorings



120 Deluxe

4-6

100-120



Art.-no.	Variant				GISCODE
11465-000003	Satin	5 kg	2	96	W3/DD+
11465-000001	Semi-gloss	1 kg/5 kg	6/2	360/96	



WS 2K Duo

Waterborne 2-Component polyurethane finish for wooden floors.

- Easy and safe application
- Very low emissions, certified to EMI CODE® EC1 R Plus
- Qualified for various floorings
- Excellent wear resistance
- Excellent chemical resistance
- Certified non-slip properties as per BGR 181 for work areas



1) Satin, Semi-gloss, Anti-slip R9, Anti-slip R10
2) Anti-slip R9, Anti-slip R10

120 Deluxe

4-6

100-120



Art.-no.	Variant				GISCODE
11466-900004	Extramatt	5 kg	2	96	W3/DD+
11466-900003	Satin	1 kg/5 kg	6/2	360/96	W2/DD+
11466-900001	Semi-gloss	1 kg/5 kg	6/2	360/96	
11466-900002	Glossy	5 kg	2	96	W3/DD+
11466-900093	Anti-slip R9	5 kg	2	96	W2/DD+
11466-900103	Anti-slip R10	5 kg	2	96	

Two-component waterborne finishes

WS 2K Fusion

Waterborne 2-Component polyurethane finish for wooden floors.

- Easy and safe application
- Excellent wear resistance
- Good price/performance ratio



1) Anti-slip R9



Art.-no.	Variant	5 kg	2	96	GISCODE
11471-000003	Satin	5 kg	2	96	W3/DD+
11471-000001	Semi-gloss	5 kg	2	96	W3/DD+
11471-000093	Anti-slip R9	5 kg	2	96	W2/DD+

2K UltraSport

Waterborne 2-Component polyurethane finish for wooden floors.

- Meets the requirements of German and European sports flooring standards
- Extremely high scuff-mark resistance
- Easy and safe application
- Excellent wear resistance



Art.-no.	Variant	5 kg	2	96	GISCODE
11401-000005	Extramatt	5 kg	2	96	W3/DD+

2K UltraElastic

Waterborne 2-Component polyurethane finish for resilient floorings.

- Lap-free application
- Specially developed for renovating linoleum, PVC, CV and LVT coverings
- Reduces the cleaning effort due to reduced dirt adhesion
- Optimised joint protection safeguards the substrate



Art.-no.	Variant	5 kg	2	96	GISCODE
11043-000005	Extramatt	5 kg	2	96	W3/DD+

Viva

Optimized Formula



	120 Dekat
	4-6
	100-120

Waterborne 1-Component finish for wooden floors.

- Excellent chemical and abrasion resistance
- Very good resistance to black heel marks
- Powerful resistance to plasticisers from parquet adhesives
- Easy and safe application, no lap marks
- Full "Connected Systems" approval
- Low VOC content
- Low emissions, certified to EMICODE® EC2

Art.-no.	Variant				GISCODE
11519-100003	Satin	5 l/10 l	-/4	128/60	W2+
11519-100001	Semi-gloss	1 l/5 l/10 l	12/4/-	480/128/60	






WS EasyFinish

Waterborne 1-Component finish for wooden floors.

- Qualified for various floorings
- Used on millions of m² worldwide every year
- Proven system
- Premium quality at a fair price
- All-rounder offering maximum processing reliability
- Comparable with 2-component finishes



1) Semi-gloss




Art.-no.	Variant	🗄️	📏	📦	GISCODE
11517-000003	Satin	1 l/5 l	12/4	480/128	W3+
11517-000001	Semi-gloss	1 l/5 l/10 l	12/4/-	480/128/60	
11517-000002	Glossy	5 l	4	128	

WS Life

Waterborne 1-Component finish for wooden floors.

- Good price/performance ratio
- Balanced properties
- High filling capacity
- Easy and safe application




Art.-no.	Variant	🗄️	📏	📦	GISCODE
11524-900003	Satin	5 l/10 l	4/-	128/60	W2+
11524-900001	Semi-gloss	5 l/10 l	4/-	128/60	
11524-900002	Glossy	10 l	-	60	

OptiFinish

Waterborne 1-Component finish for wooden floors.

- High filling capacity
- Can be used in full structure
- Good price/performance ratio
- Easy and safe application
- Reduces side bonding
- Good technical properties



Art.-no.	Variant	🗄️	📏	📦	GISCODE
11503-000003	Satin	5 l/10 l	4/-	128/60	W3+
11503-000001	Semi-gloss	5 l/10 l	4/-	128/60	



WS Argo

Additive to prolong the drying time.

- Reduces the risk of lapmarks
- Varnish film properties are unchanged

Art.-no.		
11015-000000	250 ml	12



WS UV-Protect

Prevents the UV-light induced yellowing of light coloured wood species.

- Original appearance of the wood is preserved long-term
- Can be used for all waterborne LOBADUR® finishes
- Innovation from LOBA

Art.-no.		
11017-000000	100 ml	15



HS 2K IntensiveColor

ADVANCED TECHNOLOGY

Coloured 2C High-Solid oil-based primer.

- All variants can be mixed with each other
- Cobalt and butanonoxime-free
- Easy and safe application
- Versatile design options
- No roughening of the wood
- No side-bonding effect



	30 Microfilm
	12
	50

W

Art.-no.	Variant				GISCODE
11053-900153	Various Colours	600 g/2,5 kg	4	320/120	Ö40/DD+

All colours are also available in 100 ml sample cans.

11053-90 / SampleSet / 13 x 83 g IntensiveColor + 2 x 100 g Hardener + 5 x 100 ml PreTone + 1 x small roller + 1 x Pad beige



900153	800214	700152	900152	800208	700153	800210	800213	800209	800211	800212
Country White	Sedona Red	Classic grey	Ebony	Golden Oak	Gunstock	Jacobean	Mesquite Red	Provincial	Special Walnut	Weathered Oak



NEW

900127
Chalk

Without colour guarantee

HS 2K Intensive

ADVANCED TECHNOLOGY

High-Solid 2-Component oil-based primer for wooden floors.

- Significant deepening of the wood colour
- Cobalt and butanonoxime-free
- Combines oiled look with the advantages of finished surfaces
- Easy and safe application
- No roughening of the wood
- No side-bonding effect



	30 Microfilm
	12
	50

W



Art.-no.	Variant				GISCODE
11053-000000	Transparent	600 g/2,5 kg	4	320/120	Ö40/DD+



WS EasyPrime


Polyurethane-acrylate waterborne primer for roller and trowel application for wooden floors.

- Used on millions of m² worldwide every year
- All-rounder offering maximum processing reliability
- Premium quality at a fair price
- Optimised adhesion between wood and finish
- Reduces side bonding
- Suitable for use with practically all European and exotic woods, as well as in sports and multipurpose halls

	
min	60 30
ml/m ²	100 50-60



W



Art.-no.				GISCODE
11036-900000	1 l/5 l/10 l	12/4/-	480/128/60	W3+



OptiPrime

Acrylate waterborne primer for roller and trowel application.

- Easy and safe application
- Optimised adhesion between wood and finish
- Reduces side bonding
- Good price/performance ratio

	
min	60 30
ml/m ²	100 50-60



W

Art.-no.				GISCODE
11459-600000	5 l/10 l	4/-	128/60	W2+






PrimaSeal Plus

Alcohol-based primer for wooden floors.

- Easy and safe application
- Excellent blocking of wood ingredients and old contamination
- Intensifies the colour of the wood
- Good price/performance ratio

	
min	60-90
ml/m ²	100-120

W

Art.-no.				GISCODE
11033-600000	5 l	4	128	G1



WS Sealer FR

2-Component special finish for wooden floors.

- Active improvement of fire protection
- For properties with fire protection regulations
- Simple processing in the LOBA system
- Innovation from LOBA
- No negative effects on appearance



	120 min
	12
	100-120

W

Art.-no.				GISCODE
11833-000000	5 kg	2	96	W3+



ProColor

Stain for wooden floor based on solvents.

- Versatile design options
- Easy and safe application
- All variants can be mixed with each other
- Variety of possible combinations



	12
	25-30

W

Art.-no.	Variant				GISCODE
11012-000000	Various Colours	750 ml	12	432	G1

All colours are also available in 100 ml sample cans.

000000 Transparent	800148 Bilinga	800147 Jatoba	800145 Kambala	800099 Mahogany	700133 Papyrus	800132 Smoked oak	900005 Black	800149 Sucupira	900126 White	800150 Wenge

Without colour guarantee



WS 2K Contact

Waterborne 2-Component adhesive primer.

- Recommended by leading industrial wood floor manufacturers
- Extremely economical to use
- Enables dust-free renovation
- Original appearance remains preserved during restoration
- Time and cost saving

	2
	10

W C

Art.-no.				GISCODE
11520-000000	750 g	4	384	W3/DD+



WS TopGel

Waterborne polyurethane-acrylate trowel finish.

- Prepares the surface for the last coat
- Visually fuller surface
- Extremely economical to use



	30
	20

W

Art.-no.				GISCODE
11455-000000	4 kg	4	84	W3+

2K SportColor

Waterborne 2-Component polyurethane paint.

- High coverage capacity
- No creep of colour underneath the adhesive tapes
- Adhesive tapes are easy to remove
- Qualified for various floorings



W L P

Art.-no.	Variant			
15276-100021	Various Colours	750 g	4	400



Without colour guarantee



Natural oils and waxes – Infinite design possibilities.

Beautiful appearance, variety of colours and excellent properties.

The attractive appearance of oiled finishes brings out the pleasantly warm naturalness of the wood. No other products could do this better than LOBA's modern and completely solvent-free oil and wax systems made from natural raw materials. Products from the LOBASOL® range are known and loved for their sustainability and outstanding properties. With their high wear resistance, moisture- and dirt-repellent features and exceptional chemical resistance, LOBASOL® products are the ideal solution for the most demanding applications.





Deck&Teak Oil Color

Oil impregnation for wooden surfaces in outdoor areas.

- Optimised protection against UV radiation, frost and moisture
- Long-term protection from light-related greying
- Good penetration behaviour, effective deep protection
- Easy and safe application
- Also suitable for impregnation of garden furniture
- Made of plant-based oils



	12
	100-250

W

Art.-no.	Variant				GISCODE
10615-800150	Various Colours	2,5 l	4	120	Ö60



Without colour guarantee

Deck&Teak Oil

Oil impregnation for wooden surfaces in outdoor areas.

- Optimised protection against UV radiation, frost and moisture
- Good penetration behaviour, effective deep protection
- Easy and safe application
- Also suitable for impregnation of garden furniture
- Made of plant-based oils



	12
	100-250



W




Art.-no.	Variant				GISCODE
10615-000000	Transparent	750 ml/2,5 l/12 l	6/4/-	432/120/42	Ö60



HS 2K ImpactOil Color

Coloured High Solid oil based on natural ingredients.

- Excellent water resistance for parquet flooring in wet zones such as bathrooms or spa areas
- Time-saving processing in the 1-day system
- Extremely economical to use
- 100% solid - solvent-free
- All variants can be mixed with each other
- Easy and safe application
- Can be used after only 24 hours


 12
 30-60



W

Art.-no.	Variant				GISCODE
10610-900005	Various Colours	750 g/-	4	400	Ö10/DD+

All colours are also available in 100 ml sample cans.
 10610-90 / SampleSet / 17 x 100ml + 5 x 100ml PreTone

Basic Colours	Wood Colours	Trend Colours
 900005 Black	 900126 White	 NEW 900148 Grey
 800099 Mahogany	 NEW 800127 Walnut	 800132 Smoked oak
 800145 Kambala	 800149 Sucupira	 800150 Wenge
 800200 Antique oak	 700133 Papyrus	 900127 Chalk
 900143 Oyster	 900144 Clay	 900145 Sand
 900146 Pearl	 900147 Silver	





Without colour guarantee



HS 2K ImpactOil

High Solid oil based on natural ingredients.

- Excellent water resistance for parquet flooring in wet zones such as bathrooms or spa areas
- Time-saving processing in the 1-day system
- Extremely economical to use
- 100% solid - solvent-free
- Certified non-slip properties as per BGR 181 for work areas
- Easy and safe application
- One roller application is sufficient
- Can be used after only 24 hours



 12
 60 30-60



W

Art.-no.	Variant				GISCODE
10610-000000	Transparent	750 g/2,5 kg	4	400/120	Ö10/DD+




Coloring Pretreatment

PreTone

Waterborne pigment stain for wooden floors.


- For significantly bolder colours
- Reduced oil-specific yellowing
- Easy and safe application
- Solvent-free
- Virtually limitless colour combinations are possible
- Odour neutral




W

Art.-no.	Variant				GISCODE
10612-900127	Various Colours	2,5 l	6	144	W2+

All colours are also available in 100 ml sample cans.



Without colour guarantee







HS Akzent 100 Oil


High Solid oil based on natural ingredients.

- Made of plant-based oils
- Suitable for children's toys as per EN 71-3
- 100% solid - solvent-free
- Extremely economical to use
- High resistance to water
- Easy and safe application



	
	12-24
	60 30-60

W

Art.-no.				GISCODE
10601-000000	750 ml/3 l	6	432/180	Ö10+

HS Akzent 100 Wax

High Solid oil/wax based on natural ingredients.

- Smooth and full bodied appearance
- 100% solid - solvent-free
- Extremely economical to use
- Increases the surface's water resistance



	
	12-24
	20

W

Art.-no.				GISCODE
10602-000000	750 ml	6	480	Ö10+





Hardwaxoil

HardwaxOil EcoPlus




Natural hardwaxoil.

- Smooth and full bodied appearance
- One roller application is sufficient
- Cobalt and butanonoxime-free
- Extremely economical to use
- Easy and safe application
- Water and dirt resistant



	
	12-24
	60 30-60

W

Art.-no.	Variant				GISCODE
10501-000000	Semi-gloss	750 ml/2,5 l	6/4	432/120	Ö20+



1. European Wood Species

Wood Species	HS 2K ImpactOil	HS Akzent 100 Oil	HartwachsOil EcoPlus	Markant MarkantColor	MarkantNature
Maple (Canadian)	+	+	+	+	+
Maple (European)	+	+	+	+	+
Acacia / Yellow Locust	+	+	+	+	+
Acacia / Yellow Locust steamed	+	+	+	+	◇
Birch	+	+	+	+	+
Pear tree	◇	◇	◇	-	-
Beech steamed	+	+	+	+	+
Beech natural	+	+	+	+	+
White Oak	+	+	+	+	+
Alder	+	+	+	+	+
Ash	+	+	+	+	+
Spruce	+	+	+	+	+
Chestnut tree	+	+	+	+	+
Pine	+	+	+	+	+
Black cherry	+	+	+	+	+
Cherry (European)	+	+	+	+	+
Larch	+	+	+	+	+
Walnut (European)	+	+	+	+	+
Olive tree	+	+	+	◇	◇
Smoked oak	+	+	+	+	+
Elm	+	+	+	+	+

2. Exotic Wood Species

Afromosia / Kokrodua	+	+	+	+	◇
Arrurra Vermelho	+	+	+	+	◇
Opepe	+	+	+	+	+
Cabreuva	+	+	+	+	◇
Cumaru / Almendrillo	+	+	+	+	+
Doussie / Afzelia	+	+	+	+	◇
Eucalyptus / Spottet Gum	+	+	+	+	+
Eucalyptus / Jarrah	+	+	+	-	-
Guatambu	+	+	+	◇	◇
Rubberwood	+	+	+	+	+
Ipe / Lapacho / Guaycan	◇	◇	◇	-	-
Iroko / Kambala	+	+	+	+	◇
Iron Wood	+	+	+	◇	◇
Jatoba / Brazilian Cherry	+	+	+	+	◇
Coconut	+	+	+	-	◇
Kotibe / Mahogany	+	+	+	+	◇
Mahogany	+	+	+	+	◇
Mahogany Acajou	+	+	+	+	◇
Massaranduba	+	+	+	◇	◇
Mecrusse	+	+	+	+	◇
Moluccan Ironwood	+	+	+	+	◇
Muhuhu	+	+	+	+	◇
Camwood	+	+	+	-	-
Partridge Wood	+	+	+	+	◇
Piquia Marfin	+	+	+	◇	◇
Pitch Pine (old floors)	+	+	+	+	◇
Hard Pine (new floors)	+	+	+	◇	◇
Purpleheart	+	+	+	◇	◇
Sucupira	+	+	+	+	◇
Tasmanian Oak	+	+	+	+	+
Teak	+	+	+	+	◇
Wenge	+	+	+	+	◇
Cypress	◇	◇	◇	◇	◇

3. Other surfaces apart from hardwood

Multiplex	+	+	+	◇	◇
OSB Board	◇	◇	◇	◇	◇
Chipboard	◇	◇	◇	◇	◇

+ = Without limitation applicable
 ◇ = Application can cause problems. Consult LOBA prior to use.
 - = Use is not recommended

MarkantNature

NEW



	12
	80 20



High-quality, natural hardwaxoil.

- Non ambering effect, prevents the natural yellowing of wood
- Natural look of an untreated floor
- Smooth and full bodied appearance
- Water and dirt resistant
- Easy and safe application
- Anti-slip class R10 according to DIN 51130

Art.-no.				GISCODE
10508-000009	750 ml/2,5 l	6/4	432/120	Ö60



NEW



MarkantColor

Coloured natural hardwaxoil.

- Film-forming, wear-resistant
- Smooth and full bodied appearance
- Water and dirt resistant
- Easy and safe application
- Accentuates the natural beauty of the wood
- All variants can be mixed with each other



	12
	20

W

Art.-no.	Variant				GISCODE
10508-900005	Various Colours	750 ml	6	432	Ö60

All colours are also available in 100 ml sample cans.

Basic Colours	Wood Colours	Trend Colours
 900005 Black	 900126 White	 900148 Grey
 800099 Mahogany	 800127 Walnut	 800132 Smoked oak
 800145 Kambala	 800149 Sucupira	 800150 Wenge
 800200 Antique oak	 700133 Papyrus	 900127 Chalk
 900143 Oyster	 900144 Clay	 900145 Sand
 900146 Pearl	 900147 Silver	

Without colour guarantee

Markant

Natural hardwaxoil.

- Film-forming, wear-resistant
- Smooth and full bodied appearance
- Water and dirt resistant
- Easy and safe application
- Accentuates the natural beauty of the wood



	12
	80 20

W C

Art.-no.	Variant				GISCODE
10508-000003	Satin	750 ml/2,5 l/10 l	6/4/-	432/120/42	Ö60
10508-000004	Extramatt	750 ml/2,5 l/10 l	6/4/-	432/120/42	
10508-000000	Semi-gloss	750 ml/2,5 l/10 l	6/4/-	432/120/42	



Floor care and cleaning products for professional use.

Protect and maintain.


The professional care of parquet and hardwood is a decisive factor in the protection and maintenance of these valuable floors after they have been finished. And what could be easier than profiting from LOBA's extensive competence in the development of care and maintenance.



ParkettCare

Waterborne floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Can be used without restriction for prefinished wood floors
- Recommended by leading industrial wood floor manufacturers
- Brings new shine to heavily used and worn floors
- Easy and safe application



W


Art.-no.	Variant				GISCODE
10011-400003	Satin	1 l/5 l	12/4	480/128	GE10
10011-400000	Silk Gloss	1 l/5 l/10 l	12/4/-	480/128/60	



FloorCare

Waterborne floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Can be used universally on various varnished floors
- Brings new shine to heavily used and worn floors
- Easy and safe application



W C L P S


Art.-no.	Variant				GISCODE
10490-400003	Satin	1 l/5 l	12/4	480/128	GE20
10490-400000	Silk Gloss	1 l/10 l	12/-	480/60	
10490-400180	Anti-slip	10 l	-	60	GE10



KorkCare

Waterborne floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Recommended by leading manufacturers of prefabricated cork
- Universal care product for all finished cork flooring
- Brings new shine to heavily used and worn floors
- Easy and safe application
- Waterborne and eco-friendly



C

Art.-no.				GISCODE
10265-400000	1 l	12	480	GE10



SportCare

Waterborne floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Brings new shine to heavily used and worn floors
- Prevents scuff marks from shoe soles in the finish
- Especially safe to walk on
- Easy and safe application

DIN 18032

min 60

l/100m² 3-4

W C L P

Art.-no.				GISCODE
10055-000000	1 l/10 l	12/-	480/60	GE20



V6 Finish

Polyurethane floor care product.

- Particularly wear-resistant, pure PU permanent care product
- Provides long-term protection against wear
- Brings new shine to heavily used and worn floors
- Can be used universally on various varnished floors
- Extremely high scuff-mark resistance

min 60

l/100m² 3-4

W C L P

Art.-no.	Variant				GISCODE
10189-000003	Satin	1 l/5 l	12/4	480/128	GE10
10189-000000	Glossy	1 l/5 l	12/4	480/128	

Care products for oiled floors



NatureOil

Waterborne maintenance oil.

- Refreshes tired and worn floors
- Removes slight damage in oiled surfaces
- Solvent-free
- Odour neutral
- Innovation from LOBA

h 4-6

l/100m² 1-3

W

Art.-no.				GISCODE
10100-000000	1 l/5 l	15/4	540/128	Ö10+



ParkettOil Pro

High performance maintenance oil.

- For caring for badly leached, open-pored, oiled surfaces
- Specially for re-impregnation after intensive cleaning
- Ideal for full-surface care or partial improvements
- Preserves the anti-slip properties of oiled flooring

	12
	1

W C

Art.-no.	Variant				GISCODE
10466-000000	Transparent	1 l/5 l	6/4	480/120	Ö40+
10466-900126	White	1 l	6	480	



ParkettOil

Maintenance oil based on solvents.

- Refreshes tired and worn floors
- Removes slight damage in oiled surfaces
- Ideal for full-surface care or partial improvements
- Easy and safe application
- Preserves the anti-slip properties of oiled flooring

	12
	1

W C

Art.-no.				GISCODE
10461-400000	1 l/5 l	6/4	480/120	Ö60



NatureWax

Waterborne maintenance wax.

- Protects the floor against water and dirt
- Easy and safe application
- Solvent-free
- Odour neutral
- Easy to polish
- Innovation from LOBA

	1
	1-2

W

Art.-no.				GISCODE
10105-000000	1 l/5 l	15/4	540/128	GE10



ParkettWax

Maintenance wax solvent based.

- Protects the floor against water and dirt
- Classic floor wax
- Closes open pores in the wood
- Easy to polish

Icon: Floor care with brush and liquid

min 60

l/100m² 1-2

W C L

Art.-no.	Variant				GISCODE
10429-400000	Transparent	1 l/12 l	6/-	480/50	Ö60
10429-480031	Red brown	12 l	-	50	

Soap



ParkettSoap

Waterborne soap for oiled and waxed floorings.

- Good cleaning effect
- Care effect

Icon: Floor care with brush and liquid

min 60

l/100m² 0,1

W C

Art.-no.	Variant				GISCODE
10048-000000	Transparent	1 l/5 l	12/4	480/128	GU70
10048-900126	White	1 l	12	480	



Sportbodenpflege

Waterborne wipe care product.

- For regular wipe care in sports halls
- Can also be machine applied
- Meets the requirements of German and European sports flooring standards
- Extremely economical concentrate
- No basic cleaning required

EN 14904

min	30
l/100m ²	1

L P

Art.-no.			GISCODE
10059-000000	10 l	60	GU83



CareCleaner

Waterborne wipe care product.

- Can be used universally on various varnished floors
- Extremely economical concentrate
- Can also be machine applied
- Clearly visible care effect
- No basic cleaning required

DIN 18032

min	30
l/100m ²	1

W C L P S

Art.-no.				GISCODE
10046-000000	1 l/10 l	12/-	480/60	GU40



WaxCleaner

Waterborne wipe care product.

- Leaves behind a light protective wax film
- Extremely economical concentrate
- Material-protecting and pH-neutral
- Good cleaning effect
- Can be used universally on various oiled floors

min	30
l/100m ²	0,3

W C

Art.-no.				GISCODE
10041-400000	1 l/10 l	12/-	480/60	GU73



Cleaner

Highly concentrated, pH-neutral cleaner.

- Excellent cleaning effect thanks to superb dirt-dissolving power
- Extremely economical concentrated, 1 litres of LOBACARE® Cleaner yields up to 200 litres of ready-to-use cleaning solution
- Material-protecting and pH-neutral
- Can be used universally for all waterproof surfaces
- Environmentally friendly biodegradable cleaner

	30
	0,1

W C L P S

Art.-no.				GISCODE
10175-400000	1 l/10 l	12/-	480/60	GU73



CleanFix

Ready to use, pH-neutral cleaner.

- Less domestic waste thanks to refillable spray bottle
- Excellent cleaning effect thanks to superb dirt-dissolving power
- Can be used universally for all waterproof surfaces
- Environmentally friendly biodegradable cleaner

	15
	0,2

W C L P S

Art.-no.				GISCODE
10176-000000	1 l	12	480	GU40



LaminatCleaner

Highly concentrated, pH-neutral cleaner.

- Significantly reduces the risk of swollen edges with laminate flooring
- Extremely economical concentrate
- Also suitable for plastic-coated furniture, walls, doors and windows
- Streak-free drying
- Material-protecting and pH-neutral
- Excellent cleaning effect thanks to superb dirt-dissolving power

	15
	0,1-0,2

La

Art.-no.				GISCODE
10443-000000	1 l	12	480	GU50



CareRemover

Remover for finished floors.

- Removes old layers of care product
- Removes stubborn dirt
- Can be used universally on various varnished floors
- Material-protecting and pH-neutral

min 30
l/100m ² 2

W C L P S

Art.-no.				GISCODE
10065-400000	1 l/10 l	12/-	480/60	GG60



WaxRemover

Remover solvent based for oiled and waxed floors.

- Classic intensive cleaner for oiled / waxed floors
- Also suitable for water-sensitive flooring

min 60
l/100m ² 2-4

W C L P

Art.-no.				GISCODE
10309-400000	1 l/12 l	6/-	480/50	GG0



Deck&Teak Refresh

Special cleaner for wooden surfaces in outdoor areas.

- Restores the natural colour of wood
- Excellent adhesion and non-drip
- Cleaning without sanding
- Removes stubborn dirt

min 10
ml/m ² 150-200

W

Art.-no.				GISCODE
10051-000000	2,5 l	6	144	GG10

The home care line from the professional – Effective and easy-to-use!

Floor care for home use – from your partner for the care and finishing of surfaces. The LOBAHOME line combines our experience in the professional field with an easy application for home use. The LOBAHOME products have been developed especially for fast but intensive care and cleaning of hardwood floors and other water-resistant surfaces. No special skills or tools are needed. Just apply, wipe – ready!



Mop

Suitable for the application of the LOBAHOME products. The high quality microfibre cover is washable at 60°C.

Art.-no.	Dimensions	
16244-000000	extendible 55-150 cm	24



SprayMop Set

Practical mop with integrated spray system specially developed for the cleaning of parquet, hardwood and cork floors. Fast and easy cleaning, no bucket required.

Art.-no.	Description		
16250-000000	refillable reservoir for approx. 750 ml	12	192

Mop Cover

Microfibre mop cover for LOBAHOME SprayMop and Mop. Washable at 60°C.



Art.-no.	Dimensions	
16253-000000	microfibre mop cover 43 x 14 cm	1



ParkettRefresh+ for varnished floors




The floorcare solution from the professional for varnished hardwood floors. Cleans and cares in one wipe. Protects against wear and wetness. Easy to use.

Art.-no.			
10013-000000	1 l	12	480



ParkettRefresh+ for oiled floors

The floorcare solution from the professional for oiled hardwood floors. Cleans and cares in one wipe. Protects against wear and wetness. Easy to use.

Art.-no.			
10015-000000	1 l	12	480



ElasticRefresh+ for PVC, vinyl, design floors and linoleum

The floorcare solution from the professional for elastic floorings. Cleans and cares in one wipe. Protects against wear and wetness. Easy to use.

Art.-no.			
10019-000000	1 l	12	480



FloorCleaner+

The cleaning solution from the professional for wood floors as well as all water-resistant surfaces. Powerful results with pleasant scent. Gentle to the surface, pH-neutral and environmentally-friendly thanks to natural ingredients.

Art.-no.			
10020-000000	1 l	12	480



Refill

1 Bottle of 250 ml amounts to 4L of Cleaner. Also available as counter display incl. 12 x Refill 250 ml.

Art.-no.		
10177-000000	250 ml	45



LOBAHOME product shelf

Practical display for your shop. Provides enough space for the LOBAHOME product range.

Art.-no.	Dimensions
16020-000000	constructed: H 176 x W 60 x D 40 cm



Tools and accessories – The choice of professionals!

Success is not a coincidence.

For quality results, not only the right finishing system, but also the right tools are required. This is why LOBA extensively tests every applicator and tool before it is added to the tried and tested LOBATOOL product line. These high quality standards guarantee the safe and easy use of our products for your projects. Play it safe with LOBATOOL!



Sanding belts

Aluminium oxide sanding belts for fine sanding results, ideally with a fine and medium finish, zirconium corundum sanding belts for high sanding performance, ideally with a coarse and medium finish. For conventional belt sanders.

- Sale in complete package units only

Art.-no.	Dimensions	Material	Grain size	
17001-000016	200 x 750 mm	aluminium oxide (red)/aluminous zircon (blue)	16/24/36/40/60/80/100/120	10

Ceramic grain sanding belt

Dense sanding belt with high sanding power for faster working. Longer standing times. For conventional belt sanders.

- Sale in complete package units only



Art.-no.	Dimensions	Material	Grain size	
17007-000036	200 x 750 mm	ceramic grain	36/50	10

Hook-and-loop sanding discs

Velcro sanding discs for conventional disc sanding machines with pad holder diameters of 150 mm, 178 mm or 200 mm. With Velcro reverse for disc changes in seconds.

- Sale in complete package units only



Art.-no.	Dimensions	Material	Grain size	
17010-178016	ø178 mm hole-punched	aluminium oxide (red)	16/24/36/40/60/80/100/120	25/50
17040-150024	ø150 mm 9-hole	aluminium oxide (red)	24/36/40/50/60/80/100/120	50
17010-150016	ø150 mm hole-punched	aluminium oxide (red)	16/24/36/40/50/60/80/100/120	25/50
17015-200024	ø200 mm	aluminium oxide (red)	24/36/40/60/80/100/120	50
17012-150024	ø150 mm	aluminous zircon (blue)	24/36/40/60/80/100/120	50
17012-200024	ø200 mm	aluminous zircon (blue)	24/36/40/60/80/100/120	50
17012-178024	ø178 mm	aluminous zircon (blue)	24/36/40/60/80/100/120	50

Hook-and-loop sanding stripes

Especially for the gentle interim sanding of thin coatings in combination with LOBATOOL grid pad.

- Sale in complete package units only




Art.-no.	Dimensions	Material	Grain size	
17060-000240	81 x 133 mm	silicon carbide	240	100



Sanding triangle

Sanding triangle with Velcro reverse for all common Delta sanders. For corners and other hard-to-reach areas.

- Sale in complete package units only

Art.-no.	Dimensions	Material	Grain size	
17041-000040	ø80 mm	aluminium oxide (red)	40/60/80/100	50

Adhesive cloth

For the retrofitting of sanding discs on circular sanding machines.




Art.-no.	Dimensions	
17010-150000	ø150 mm	10
17010-178000	ø178 mm	10

Sanding discs

Sanding discs with a 22 mm cross-hole for conventional circular sanding machines with pad holder diameters of 150 mm or 178 mm.

- Sale in complete package units only



Art.-no.	Dimensions	Material	Grain size	
17035-150024	ø150 mm	aluminium oxide (red)	24/36/40/60/80/100/120	50
17035-178024	ø178 mm	aluminium oxide (red)	24/36/40/60/80/100/120	50

Double discs

Double sanding discs for single-disc machines (16 grain with fabric underlay).

- Sale in complete package units only



Art.-no.	Dimensions	Material	Grain size	
17020-000016	ø410 mm hole-punched	silicon carbide	16/24/36/40/60/80/100/120	10



Sanding net

Sanding mesh, ideal for fine and intermediate sanding with single-disc machines.

- Sale in complete package units only

Art.-no.	Dimensions	Material	Grain size	
17025-000060	ø406 mm	silicon carbide	60/80/100/120/150/180	20



PerforatedPad / DustPad

PerforatedPad: Offers improved sanding performance and shortens the time required for sanding. Reduces dust from the sanding process entering the atmosphere.

Exceptionally long service life owing to continuous dust extraction.

DustPad: For use under PerforatedPad. Dust passes through the permeable material of the DustPad and is collected in the dust accumulator. The sanding disc will not clog up, thus guaranteeing an absolutely optimal sanding performance.

- Sale in complete package units only

Art.-no.	Description	Dimensions	Grain size	
17039-410000	DustPad	ø410 mm	-	5
17037-410080	PerforatedPad	ø410 mm	80/100/120/150/180	10


Pads

NEW



ScrubberPad

Key component for the efficient renovation of resilient flooring. Where maintenance and dirt layers are particularly difficult to remove, we recommend use of the new LOBATOOL ScrubberPad to prepare the surface for re-coating.


Art.-no.	Dimensions	
16552-406010	ø406 mm	1



Grid pad

Special sanding pad for dry thorough cleaning and preparation for the re-varnishing of various surfaces. Gentle interim sanding of oils or primers such as LOBADUR® WS EasyPrime. Mattification of unevenly-dried oil surfaces.

- Sale in complete package units only



Art.-no.	Dimensions	
16560-000000	ø406 mm	10



Pads

Pads for single-disc machines for various areas of application.
 White (non-abrasive): e.g. for polishing waxes
 Beige (mildly abrasive): e.g. for evening out oils and colours
 Green (moderately abrasive): e.g. for thorough cleaning
 Black (abrasive): e.g. for thorough cleaning of stubborn soiling

- Sale in complete package units only

Art.-no.	Description	Dimensions		
16550-130432	black	NormalPad / ø406 x 10 mm	10	840
16550-124352	white	NormalPad / ø406 x 10 mm	10	840
16550-406410	beige	SpecialPad / ø406 x 10 mm	10	840
16550-406420	green	SpecialPad / ø406 x 10 mm / SuperPad / ø406 x 20 mm	10/5	840/420
16551-124662	white	SuperPad / ø406 x 20 mm	5	420

HandpadSet (25 Pads beige)

For manual equalisation of excess material in hard-to-reach areas.
 Beige (mildly abrasive): e.g. for evening out oils and colours




Art.-no.	Dimensions	
16555-000000	85 x 135 x 10 mm	1

Pad holder with telescopic bar and pads

For manual equalisation in an ergonomic position of excess material in hard-to-reach areas.
 Beige (mildly abrasive): e.g. for evening out oils and colours




Art.-no.	Description	Dimensions	
16553-000000	Padholder with extension pole	extendible 97-184 cm cm	1
16550-250210	beige	250 x 120x 10 mm	25
16550-250310	green	250 x 120x 10 mm	25

Application devices & Accessories

Roller `Deluxe 120`

Specially for all LOBADUR® waterborne systems. Ensures the recommended quantity (approx. 120 g/m²). No roller frame included.



Art.-no.	Description	
16234-000000	25 cm roller	12



Roller `Microfiber 100-120`

For all LOBADUR® waterborne varnishes and primers WS EasyPrime and OptiPrime.
Application quantity between 100-120 g/m². No roller frame included.

Art.-no.	Description	
16236-000000	25 cm roller	12



Roller `Universal 100`

Especially for LOBACURE WS Rush A.T. and LOBADUR® primer PrimaSeal Plus.
Application quantity approx. 100g/m². No roller frame included.

Art.-no.	Description	
16233-000025	25 cm roller	12



Small roller for edges

Rollers for edges and other hard-to-reach areas.

Art.-no.	Description	
16237-000000	10 cm roller	10



Roller extra wide


Especially for LOBADUR® waterborne varnishes. Perfect for large surfaces (e.g. sports halls, etc.). Application quantity approx. 120 g/m². No roller frame.

Art.-no.	Description	
16234-000050	50 cm roller	1



Oil roller `Microfiber 60-80`


Especially for the roller application of oils (LOBASOL® oils and HS 2K Intensive A.T.).
Applied quantity: 40-60 g/m2. No roller frame included.

Art.-no.	Description	
16236-100000	25 cm roller	12



Roller frame, roller extension

Roller frame: for varnish rollers.
Telescopic bar: Roller extension. Can be extended up to 2.5 metres.

Art.-no.	Description	
16238-000000	Telescopic bar expandable 117-200 cm	10
16232-200000	Roller frame for extra-wide 50 cm roller	12
16232-000000	Roller frame for 25 cm roller	20
16232-100000	Roller frame for 10 cm edge roller	20

Rollerbox 25 cm

Clean storage of rollers.



Art.-no.	Dimensions	
16340-000000	25 cm	50

Wiping cloth


Ideally suited to wipe up excess material after oil application. Highly absorbent cloth with long lifetime. The product can also be used for cleaning tools and machines.
Material: 30 % cotton, 25 % viscose, 20 % polypropylene, 15 % polyester and 10 % other fibres

- Sale in complete package units only



Art.-no.	Dimensions
16421-000000	50 x 60 cm



	Micro 60-80	Micro 100-120	Universal 100	Deluxe 120
LOBADUR 	Item No.: 16236-1	Item No.: 16236	Item No.: 16233	Item No.: 16234
2K InvisibleProtect A.T.	-	-	-	✓
2K Supra A.T.	-	✓	-	✓
WS 2K Duo	-	✓	-	✓
WS 2K Fusion	-	✓	-	✓
2K UltraElastic	-	✓	-	✓
2K UltraSport	-	✓	-	✓
WS EasyFinish	-	✓	-	✓
Viva	-	✓	-	✓
WS Life	-	✓	-	✓
OptiFinish	-	✓	-	✓
WS EasyPrime	-	✓	✓	-
OptiPrime	-	✓	✓	-
PrimaSeal Plus	-	-	✓	-
HS 2K Intensive A.T.	✓	-	-	-
WS Sealer FR	-	✓	-	✓
ProColor	✓*	-	-	-
WS Rush A.T.	-	-	✓	-

LOBASOL 

HS 2K ImpactOil transparent	✓	-	-	-
HS Akzent 100 Oil	✓	-	-	-
HartwachsOil EcoPlus	✓	-	-	-
Markant	✓	-	-	-
MarkantNature	✓	-	-	-

✓ = Without limitation applicable


- = Use is not recommended

* = Please refer to the Technical Information



Trowel

Applicator for joint putties, oils, waxes, colouring systems, primers and varnishes.

Art.-no.	Description	Dimensions	
16083-000027	stainless steel	27 cm/35 cm	6

Oilbrush

Applicator for LOBASOL® Markant, Deck&Teak Oil.



Art.-no.	Dimensions	
16081-000021	21 cm	1

Brush with long handle

Brushes for corners, edges and other hard-to-reach areas.



Art.-no.	Dimensions	
16239-000000	60 mm	12

Varnish bucket

Bucket with lid and measuring scale. PE liners for the varnish bucket.



Art.-no.	Description	
16099-000000	filling quantity 18 l	1
16218-000000	Inlay liner	25



Pourer flexible

Flexible pour-out device attachable to all LOBA containers.

Art.-no.	Description	
16222-000000	for 2,5 l / 5 l / 10 l PE containers	1

Dosing pump

Dosing pump for 10L containers. The dosing cap extracts approx. 30ml per push.



Art.-no.	Description	
16225-000000	Depth of immersion: approx. 28,5 cm - wreath: Ø 4,5 cm	25

Mixing container

Measuring cup with scale for the measurement of partial quantities of LOBADUR® 2K waterborne finish or LOBADUR® HS 2K Intensive.




Art.-no.	Description	
16080-000000	filling quantity 1 l	1

Paintmixer

For the fast and mechanical stirring of colours or the mixing-in of hardening components.




Art.-no.	Dimensions	
16254-000000	ø60, length 350 mm	10



Wischwiesel


Applicator with pad for waterborne LOBACARE® maintenance products. The LOBATOOL applicator pad is a high-quality applicator head for the LOBATOOL Wischwiesel.

Art.-no.	Description	Dimensions	
16247-000000	applicator	140 cm	20
16249-000000	applicator pad	44 cm	100



Spray can


Simple application of cleaning and maintenance products.

Art.-no.	Description	
16310-000000	filling quantity 1 l	1



TrimPad applicator

Applicator for LOBADUR® WS 2K Contact.


Art.-no.	Description	Dimensions	
16274-000010	Spare TrimPad	25 cm	12
16275-000000	Telescopic bar TrimPad	-	10
16273-000010	TrimPad Applicator	25 cm	12



SprayPump

Includes special flat-jet nozzle and brass extension pipe. For applying PreTone.

- Spraying without effort
- Including wireless electronic pump
- Ideal spray pattern
- Operating with customary batteries (not included)

Art.-no.	Description	
16224-000000	filling quantity 5 l	1



ElastoParkett

Acrylic-based, silicone-free joint filler.

- High filling capacity
- Facilitates fast and efficient working
- High elasticity
- Can be sanded and varnished over
- Can be used on oiled as well as varnished parquet and cork floors

W C

Art.-no.	Variant		
16226-800022	Various Colours	310 ml	12



Without colour guarantee



RepairPaste

To repair minor damages and to fill small gaps in finished wood, multi-layer parquet, cork and laminate flooring.

- Solvent-free
- Easy and safe application
- Qualified for various floorings
- High filling capacity
- All variants can be mixed with each other

W C La

Art.-no.	Variant		
16228-800003	Various Colours	150 g	12



Without colour guarantee



RepairSet

Set with different colours. The solution for all smaller repairs of parquet, multi-layer parquet, laminate and cork flooring. Colours are mixable. Includes wedge scraper, hot knife and abrasive fabric.

Art.-no.	Variant	
16351-000000	Various Colours	1



Cork stripes

For installation between doorways or in edge areas.

- Sale in complete package units only


Art.-no.	Description	Dimensions	
16043-090010	mocca	900 x 10 x 10 mm/900 x 10 x 14 mm/900 x 10 x 22 mm/900 x 22 x 22 mm	25/15
16042-090010	nature	900 x 10 x 10 mm/900 x 10 x 14 mm/900 x 10 x 22 mm/900 x 22 x 22 mm	25/15



Shoe-galoshes

Made of fabric. 10 pairs in a clam pack. Absorbent and anti-slip. To be put on during final inspections, site inspections, oiling parquet flooring, cleaning flooring, etc.

Art.-no.	
16422-001196	10



Cover 400g

Protection covers with vapor diffusion capability made of recycled textiles (50%) and recycled paper (50%). Protection covers for newly varnished or oiled wooden floors.

- Breathe-active
- Varnishes and oils can cure virtually unhindered

Art.-no.	Dimensions		
16280-000000	W: 100cm, L: 50m	1	15



Thermohygrometer

For measuring ambient temperature and relative humidity.

Art.-no.	
16230-200000	1

ADVANCED TECHNOLOGY

Advanced Technology (A.T.) represents the latest generation of LOBA products with revolutionary technologies, innovative raw materials and/or improved application. These products have outstanding properties that are unique in the industry. A.T. products are low-emission (VOC < 80g/L) and meet all current employment and consumer protection requirements.

Anti-slip resistance R9, R10	Emicode® EC2: low emission	LOBASOL 100% Nature solvent free and 100% solid content	100% Environmentally friendly low VOC paint
Emicode® EC1R Plus: very low emission	Suitable for children's toys according to DIN EN 71-3	Connected Systems: Guarantee for systems of LOBA coatings and Wakol adhesives	
Emicode® EC1R: very low emission	Emission class M1 for building materials	Emission tested building materials acc. French VOC regulation	
Emicode® EC1: very low emission	Emissions-tested building product in accordance with DIBT guidelines	Stress zone	
Roller Deluxe 120	Apply coat	Drying time	Wood floors and Parquet
Roller 100-120 Microfibre	Basic cleaning	Consumption in liter	Cork
Roller Universal 100	Wipe with less water	Consumption in grams	Linoleum
Roller 60-80 Microfibre	Cloth	Contents	PVC
Trowel		Packing	Stone
Brush		Pallet	Laminate

Giscode-Legend

W1	Water based surface-treatment, solvent-free
W2+	Water based surface-treatment, solvent-content <5 %, free from N-Methylpyrrolidon
W2/DD+	Water based surface treatment agents, hardener containing socyanate, solvent content up to 5%, N-Methylpyrrolidonfree
W3+	Water based surface treatment agents, solvent content up to 15 %, N-Methylpyrrolidonfree
W3/DD+	Water based surface treatment agents, hardener containing socyanate, solvent content up to 5%, N-Methylpyrrolidonfree
Ö10+	Oils/waxes, solvent-free, free from butanone oxime
Ö10/DD+	Oils/waxes, solvent-free, oxime-free, with isocyanate-containing hardener
Ö20+	Oils/waxes, low-solvent, dearomatized, oxime-free
Ö40+	Oils/waxes, solvent-containing, dearomatized, oxime-free
Ö40/DD+	Oils/waxes, solvent-containing, dearomatized, oxime-free, with isocyanate-containing hardener
Ö60	Oils / waxes, high in solvents, aromatics removed
GE10	Dispersions / Coating products
GE20	Emulsions/dispersions, solvent-containing (5-15 %)
GG0	Base cleaner, other
GG10	Base cleaner, solvent-free, no hazard labelling
GG60	Base cleaner, irritant, containing solvents with skinresorptive substances
GG80	Remover, corrosive, based on solvents
GU40	Maintainer, without solvents
GU50	Maintainer, containing solvents with no skin-absorption hazard
GU70	Maintenance cleaner, irritant, solvent-free
GU73	Maintenance cleaner, solvent free, irritant, including serious eye damage
GU83	Maintenance cleaner, based on solvent, irritant, including serious eye damage
G1	Base sealants and plastic woods, high in solvents, aromatics removed and free of lowboiling compounds
G2	Base sealants and plastic woods, aromatics removed containing low-boiling compounds



**ЦИКЛЕВОЧНАЯ
КОМПАНИЯ**
WWW.1PARKET.RU +7 (495) 545-25-85



LOBA GmbH & Co. KG | Headquarters
Leonberger Str. 56-62
71254 Ditzingen / Germany
Phone: +49 7156 357-0
Fax: +49 7156 357-211
Email: service@loba.de
www.loba.de

